

20091208.ba v04_n301.bam.20091208

>From ???@??? Tue Dec 8 19:24:51 2009 -0600
Date: Tue, 8 Dec 2009 19:23:53 CST
From: Old Tube Radios <boatanchors@theporch.com>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: BOATANCHORS digest 4301
Message-Id: <20091209012451.B9AE819B1F@sco.theporch.com>

BOATANCHORS Digest 4301

Topics covered in this issue include:

- 1) Hallicrafters S-36 Problems
by "Michael Hardie" <mike46@shaw.ca>
- 2)
by ray jefferson <ruetama7@gmail.com>
- 3) RME DB-22A
by "Gary Harmon" <gharmon@idworld.net>
- 4) Need Pierson KP-81 info
by Art Lebermann <artleb@earthlink.net>
- 5) RE: Need Pierson KP-81 info
by "Singley, Rodger" <rbsingl@ilstu.edu>
- 6) FA: Radio "Mill" Typewriter, National SW-3 Receiver
by Richard Dillman <ddillman@igc.org>
- 7) Hereford.ampr.org
by Jerry Proc <jerry7proc@yahoo.com>
- 8) J-38 key f/s
by "Bob Kemp" <bkemp@bobkemp.com>
- 9) \$\$\$\$ Bug
by "JAMES HANLON" <knjhanlon@msn.com>
- 10) Best First Rig..?
by John Poulton <jp@cs.unc.edu>
- 11) Re: \$\$\$\$ Bug
by Tom Norris <nu4g.radio@gmail.com>
- 12) Re: Best First Rig..?
by "Arden Allen" <gumbear@pacbell.net>
- 13) Re: Best First Rig..?
by wb3fau@att.net
- 14) Re: Best First Rig..?
by "Arden Allen" <gumbear@pacbell.net>
- 15) Lookingfor a National NC-2TS Speaker
by William Watson <wwatson5@sbcglobal.net>
- 16) Zenith
by "ka5den" <ka5den@argontech.net>
- 17) Re: Zenith
by Scott Robinson <spr@earthlink.net>
- 18) Re: Zenith

- by aafradio <mike_25-z@aafradio.org>
- 19) Re: Zenith
by "Jim Isbell, W5JAI" <jim.isbell@gmail.com>
- 20) Re: Zenith
by Al Klase <al@ar88.net>
- 21) Looking for National NC-2CS Speaker for NC-2-40C
by "Joe Watson" <wwatson5@sbcglobal.net>
- 22) Looking for National NC-2CS Speaker for NC-2-40C
by "Joe Watson" <wwatson5@sbcglobal.net>
- 23) Re: Zenith
by "David Stinson" <arc5@ix.netcom.com>
- 24) Re: Zenith
by "Arden Allen" <gumbear@pacbell.net>

Message-ID: <70B9E496ED78468983850C5716088FAE@userd0315415c7>

From: "Michael Hardie" <mike46@shaw.ca>

To: Old Tube Radios <boatanchors@theporch.com>

Subject: Hallicrafters S-36 Problems

Date: Tue, 1 Dec 2009 06:14:33 -0800

MIME-Version: 1.0

Content-Type: text/plain;
format=flowed;
charset="iso-8859-1";
reply-type=original

Content-Transfer-Encoding: 7bit

I'm trying to get a Hallicrafters S-36 working, the IF and audio sections appear to be OK now, but the RF section is a different story. I'm using a downloaded RBK manual for reference, the tube socket resistances and voltages are OK. There's nothing visible on the 'scope from the oscillator, not on any band or with any control setting. Changing the 955 tube doesn't make any difference. Anyone have any ideas on what to do next?

Mike VE7MMH

MIME-Version: 1.0

Date: Tue, 1 Dec 2009 11:21:42 -0700

Message-ID: <e00dbf450912011021u34600448s613300c6fcfc00b1@mail.gmail.com>

Subject:

From: ray jefferson <ruetama7@gmail.com>

To: Old Tube Radios <boatanchors@theporch.com>

Content-Type: text/plain; charset=ISO-8859-1

Greetings:I am an old subscriber to Boatanchors but have not been active for some time. Can you bring me up to date on re-subscribing fees and procedures etc? Thanks for your help.

W7fni.....
Since 1934

From: "Gary Harmon" <gharmon@idworld.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: RME DB-22A
Date: Tue, 1 Dec 2009 21:59:57 -0600
Message-ID: <005101ca7303\$e9c92490\$bd5b6db0\$@net>
MIME-Version: 1.0
Content-Type: multipart/alternative;
 boundary="-----_NextPart_000_0052_01CA72D1.9F2EB490"
Content-Language: en-us

This is a multi-part message in MIME format.

-----=_NextPart_000_0052_01CA72D1.9F2EB490
Content-Type: text/plain;
 charset="US-ASCII"
Content-Transfer-Encoding: 7bit

Anyone out there in BA Land who is familiar with the tuning shaft assembly?

73,

Gary H. Harmon, Jr. - K5JWK

6003 Archwood

San Antonio, TX 78239-1504

210.657.1549h

210.884.6926c

-----=_NextPart_000_0052_01CA72D1.9F2EB490
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* * * * *
* ---REMAINDER OF MESSAGE TRUNCATED--- *
* This post contains a forbidden message format *
* (such as an attached file, a v-card, HTML formatting) *

* Mail Lists at theporch.com only accept PLAIN TEXT *
* If your postings display this message your mail program *
* is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *

-----=_NextPart_000_0052_01CA72D1.9F2EB490--

Message-ID: <18638023.1259827174855.JavaMail.root@mswamui-thinleaf.atl.sa.earthlink.net>

Date: Wed, 2 Dec 2009 23:59:34 -0800 (GMT-08:00)

From: Art Lebermann <artleb@earthlink.net>

To: Old Tube Radios <boatanchors@theporch.com>

Subject: Need Pierson KP-81 info

Mime-Version: 1.0

Content-Type: text/plain; charset=UTF-8

Content-Transfer-Encoding: 7bit

Has anyone on the list restored a Pierson KP-81 receiver? Any suggestions or comments would be much appreciated.

73,
Art Lebermann
W6REQ

Content-class: urn:content-classes:message

MIME-Version: 1.0

Content-Type: text/plain;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Subject: RE: Need Pierson KP-81 info

Date: Thu, 3 Dec 2009 06:32:10 -0600

Message-ID: <AA28191F88740543A764089198FF86DE9A2459@COBEXCHANGE.ad.ilstu.edu>

From: "Singley, Rodger" <rbsingl@ilstu.edu>

To: Old Tube Radios <boatanchors@theporch.com>

Art,

I have a couple of them. The manual and other information I have is =
uploaded to BAMA.

The only "trick" is working on the front end. The two IF sub-chassis =
unplug for easy access but to get the front end out you need to remove =
the sliding coil catacomb, unsolder multiple leads from the two tuning =
capacitors, and then release several bolts to remove the assembly. Once =
it is out you will need a long curved tip on your soldering iron to =

reach in and remove several leads necessary to separate the two assembly = case halves. It is full of wax paper caps so it will need attention and = plan on spending about 8 hours total for this part. The rest is very = simple.

The only issue is this receiver uses mostly loctal tubes and you will = probably find a few socket pins that do not make good contact and will = need cleaning. If you find any broken contacts you can replace these = with donors from another loctal socket without having to replace or even = remove the damaged socket.

The KP-81 works very well once restored. Mine is paired with a Viking = 500 and gets a lot of usage on AM and CW.

While you have the front end apart, I would replace every passive = component in there so you will hopefully never have to take it apart = again. It appears that in building this part of the receiver the = connections were all made and soldered before the tube sockets and = terminal strips were riveted into place. This allowed them to have very = short connections in this part of the receiver but it certainly makes = servicing difficult.

I think you will enjoy your receiver once it is restored.

73, Rodger WQ9E

-----Original Message-----

From: owner-boatanchors@theporch.com on behalf of Art Lebermann
Sent: Thu 12/3/2009 1:59 AM
To: Old Tube Radios
Subject: Need Pierson KP-81 info
=20

Has anyone on the list restored a Pierson KP-81 receiver? Any = suggestions or comments would be much appreciated.

73,
Art Lebermann
W6REQ

Message-ID: <22784027.1259891659202.JavaMail.root@elwamui-norfolk.atl.sa.earthlink.net>
Date: Thu, 3 Dec 2009 20:54:19 -0500 (EST)
From: Richard Dillman <ddillman@igc.org>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: FA: Radio "Mill" Typewriter, National SW-3 Receiver

Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 7bit

For those who may be interested, I have listed two items for sale on eBay:

Vintage portable L C Smith & Corona radio mill typewriter. eBay item number 330383504039.

National SW-3 receiver with dog house power supply and coils. eBay item number 330383514778

Thanks,

RD

=====
Richard Dillman, W6AWO
Chief Operator, Coast Station KSM
Maritime Radio Historical Society
<http://www.radiomarine.org>
=====

Message-ID: <386231.28602.qm@web112318.mail.gq1.yahoo.com>
Date: Fri, 4 Dec 2009 16:46:22 -0800 (PST)
From: Jerry Proc <jerry7proc@yahoo.com>
Subject: Hereford.ampr.org
To: Old Tube Radios <boatanchors@theporch.com>
MIME-Version: 1.0
Content-Type: text/plain; charset=us-ascii

Hello Everyone,

The Hereford Military list web site is no longer accessible.
<http://hereford.ampr.org>

Does anyone know if this is just a temporary condition such as a server problem?
Just curious.

--
Regards,
Jerry Proc
E-mail: jerry7proc@yahoo.com

Looking for the perfect gift? Give the gift of Flickr!

<http://www.flickr.com/gift/>

Message-ID: <4DA83FAE94BA45B1BFE0DB5EE2BD4F93@robert7549ca67>
From: "Bob Kemp" <bkemp@bobkemp.com>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: J-38 key f/s
Date: Sun, 6 Dec 2009 19:09:27 -0600
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="-----_NextPart_000_0005_01CA76A7.A1457460"

This is a multi-part message in MIME format.

-----=_NextPart_000_0005_01CA76A7.A1457460
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

Have a Lionel J-38 Key for sale \$35.00 shipped in the U.S.

Bob

wa0vrc

-----=_NextPart_000_0005_01CA76A7.A1457460
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* ---REMAINDER OF MESSAGE TRUNCATED--- *
* This post contains a forbidden message format *
* (such as an attached file, a v-card, HTML formatting) *
* Mail Lists at theporch.com only accept PLAIN TEXT *
* If your postings display this message your mail program *
* is not set to send PLAIN TEXT ONLY and needs adjusting *

-----=_NextPart_000_0005_01CA76A7.A1457460--

Message-ID: <SNT106-DS108CD67E3C6DCF5CF110C0A0900@phx.gbl>
From: "JAMES HANLON" <knjhanlon@msn.com>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: \$\$\$\$ Bug
Date: Mon, 7 Dec 2009 13:41:36 -0700
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="-----_NextPart_000_00AC_01CA7742.FEFE8380"

This is a multi-part message in MIME format.

-----=_NextPart_000_00AC_01CA7742.FEFE8380

Content-Type: text/plain;
charset="iso-8859-1"

Content-Transfer-Encoding: quoted-printable

Does anyone know why this ratty bug sold for more than \$3K?

Jim, W8KGI

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=3D320454169943&ssPageN=ame=3DSTRK:MEWAX:IT#ht_500wt_924<about:blank>

-----=_NextPart_000_00AC_01CA7742.FEFE8380

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
* * * * *
*      ---REMAINDER OF MESSAGE TRUNCATED---      *
*      This post contains a forbidden message format      *
*      (such as an attached file, a v-card, HTML formatting) *
*      Mail Lists at theporch.com only accept PLAIN TEXT      *
*      If your postings display this message your mail program *
*      is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *
```

-----=_NextPart_000_00AC_01CA7742.FEFE8380--

Date: Mon, 7 Dec 2009 17:16:08 -0500 (EST)

From: John Poulton <jp@cs.unc.edu>

To: Old Tube Radios <boatanchors@theporch.com>

Subject: Best First Rig..?

Message-ID: <Pine.LNX.4.64.0912071706420.28978@swan5.cs.unc.edu>

MIME-Version: 1.0

Content-Type: TEXT/PLAIN; charset=US-ASCII; format=flowed

This question is actually a bit off-topic, and I apologize for that, but..
I'll ask it anyway.

Got a query from a random person who's interested in getting involved in amateur radio for the first time, and would like to acquire a transceiver to get started with, but on a limited budget. I guessed that a 5-10 year old rice-box would be the best bet. Do any of you have a suggestion for a reliable rig that might sell for a few hundred bucks that represents the best "first rig" these days..?

We don't need to start the "thread from hell" here.. just a few suggestions sent to me off-list would be great!

Thanks, and 73, John K4OZY

--

Subject: Re: \$\$\$\$ Bug
Mime-Version: 1.0 (Apple Message framework v1077)
Content-Type: text/plain; charset=us-ascii
From: Tom Norris <nu4g.radio@gmail.com>
Date: Mon, 7 Dec 2009 17:25:46 -0600
Content-Transfer-Encoding: quoted-printable
Message-Id: <7DE0C4CD-B506-40D9-8CA4-5E4860531ACB@gmail.com>
To: Old Tube Radios <boatanchors@theporch.com>

I can't answer that, but have any of you seen a "BELCHER" key before?
Listed as item 180440214283 (look closely at the pic...) FWIW this=20
particular guy is honest and I've bought things from him. Though=20
he's a good seller, he's not always a good SPELLER. heehee

73

Tp,

("Tom" but when I get in a hurry, my fingers usually slip over a row on =
the KBD... LOL)

On Dec 7, 2009, at 2:41 PM, JAMES HANLON wrote:

> Does anyone know why this ratty bug sold for more than \$3K?
>=20
> Jim, W8KGI
>=20
> ebay item 320454169943

Message-ID: <004301ca7795\$b3a4e0c0\$209f480c@KB6NAX>
From: "Arden Allen" <gumbear@pacbell.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Best First Rig..?
Date: Mon, 7 Dec 2009 15:33:33 -0800
MIME-Version: 1.0

Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

> Got a query from a random person who's interested in getting involved in
amateur
> radio for the first time, and would like to acquire a transceiver to get
> started with, ...

If you are in contact with the person try to find out what his inspiration
is to become a ham. Digital modes, emergency response, moon bounce, DXing,
ratchet jawing, etc. Then point him in the direction of appropriate rigs,
antennas, software, whatever. Take the effort to do this and make a friend
instead of ending up as "that crazy old ham."

Arden Allen
KB6NAX

Adopt a shelter dog,
save an innocent life,
and make a friend forever =:-)

From: wb3fau@att.net
To: Old Tube Radios <boatanchors@theporch.com>
Cc: "Arden Allen" <gumbear@pacbell.net>
Subject: Re: Best First Rig..?
Date: Tue, 08 Dec 2009 02:22:48 +0000
Message-Id:
<120820090222.17578.4B1DB87800084F08000044AA22193100029B0A02D29B9B0EBF9A0E00CC0D99
@att.net>

"that crazy old ham"- you mean Arden?

Message-ID: <001e01ca7840\$08980120\$b89e480c@KB6NAX>
From: "Arden Allen" <gumbear@pacbell.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Best First Rig..?
Date: Tue, 8 Dec 2009 11:35:47 -0800
MIME-Version: 1.0
Content-Type: text/plain;
charset="Windows-1252"
Content-Transfer-Encoding: 7bit

> "that crazy old ham"- you mean Arden?
>

807's to you too!

Arden Allen
KB6NAX

Adopt a shelter dog,
save an innocent life,
and make a friend forever =:-)

Message-ID: <625353.21404.qm@web81406.mail.mud.yahoo.com>
Date: Tue, 8 Dec 2009 12:25:34 -0800 (PST)
From: William Watson <wwatson5@sbcglobal.net>
Subject: Lookingfor a National NC-2TS Speaker
To: Old Tube Radios <boatanchors@theporch.com>
MIME-Version: 1.0
Content-Type: multipart/alternative; boundary="0-230095556-1260303934=:21404"

--0-230095556-1260303934=:21404
Content-Type: text/plain; charset=iso-8859-1
Content-Transfer-Encoding: quoted-printable

Anyone have a National NC-2TS speaker you would part with?=@ I am restorin=
g an NC 2-40C.

=@

Joe

W5WBR

--0-230095556-1260303934=:21404
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* * * * *
* ---REMAINDER OF MESSAGE TRUNCATED--- *
* This post contains a forbidden message format *
* (such as an attached file, a v-card, HTML formatting) *
* Mail Lists at theporch.com only accept PLAIN TEXT *
* If your postings display this message your mail program *
* is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *

--0-230095556-1260303934=:21404--

From: "ka5den" <ka5den@argontech.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Zenith
Date: Tue, 8 Dec 2009 16:47:34 -0600
Message-ID: <DD298948DA644421881670FB404CFBDB@George>

MIME-Version: 1.0
Content-Type: text/plain;
charset="us-ascii"
Content-Transfer-Encoding: 7bit

I need a sch dia for a Zenith Model H725, Serial G-289984, Chassis 7G01Z.
If anyone has one I will be happy to pay.

Ka5den at argontech.net

George KA5DEN
10X 74681

Mime-Version: 1.0
Message-Id: <p06240804c7448a228bdc@[192.168.1.2]>
Date: Tue, 8 Dec 2009 14:57:32 -0800
To: Old Tube Radios <boatanchors@theporch.com>
From: Scott Robinson <spr@earthlink.net>
Subject: Re: Zenith
Content-Type: text/plain; charset="us-ascii" ; format="flowed"

Hi George,

S0rry, but what's a "sch dia"?

Peace,

Scott

At 4:47 PM -0600 12/8/09, ka5den wrote:
>I need a sch dia for a Zenith Model H725, Serial G-289984, Chassis 7G01Z.
>If anyone has one I will be happy to pay.
>
>Ka5den at argontech.net
>
>George KA5DEN
>10X 74681

Message-ID: <4B1EE33F.3050204@aafradio.org>
Date: Tue, 08 Dec 2009 18:37:35 -0500
From: aafradio <mike_25-z@aafradio.org>
MIME-Version: 1.0
To: Old Tube Radios <boatanchors@theporch.com>
CC: Old Tube Radios <boatanchors@theporch.com>

Subject: Re: Zenith
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

An age old engineering shorthand...SCHedule of DIAmeters, outlining the punch dimensions of all of the holes in the chassis. :-D

Sorry, couldn't resist. I never cease to be amazed at the perceived savings in time by posters through the use of four or five less letters. After forty years with the DoD, I thought I was immune to the effects of acronyms, but no...it seems to get worse with age.

Scott Robinson wrote:

> SOrry, but what's a "sch dia"?

>

> At 4:47 PM -0600 12/8/09, ka5den wrote:

>> I need a sch dia for a Zenith Model H725, Serial G-289984, Chassis
>> 7G01Z.

>> If anyone has one I will be happy to pay.

MIME-Version: 1.0

From: "Jim Isbell, W5JAI" <jim.isbell@gmail.com>

Date: Tue, 8 Dec 2009 18:09:51 -0600

Message-ID: <b0295dbe0912081609ja54cfafk92e56095ede0ba10@mail.gmail.com>

Subject: Re: Zenith

To: Old Tube Radios <boatanchors@theporch.com>

Content-Type: text/plain; charset=ISO-8859-1

Content-Transfer-Encoding: quoted-printable

When some young whippersnapper asks me for my "Social"

I reply, "Its pretty good for my age but I have avoided STDs."

Then when they explain to me they want my Social Security Number I reply, "Well, why didnt you say so?"

I am offended by the NewsSpeak that people now speak. Its "1984" coming somewhat late.

Even the news reporters on TV, who should use perfect English, make really bad errors, like referring to the "apron" on an airport as "the Tarmack" when most often it is actually "Concrete" and not "Tarmack" at all. That all started with the airplane hijacking in Europe about 20 years ago when the European news refered to the plane being on "the Tarmack". It was, but the American news people wanted to sound cool and European so they picked up the phrase to refer to the Apron, not knowing it was refering to the pavement type. Ill bet

Europeans are laughing their posteriors off over that one.

They are always mispronouncing words, like Uranus, the planet. They would rather call it "Your Un Us" than refer to it as "Your Ain Us". I think the "Tarmack" for "Asphalt" and the "Your un us" for "Your ain us" may be a sexual hang up that makes them want to refrain from referring to your posterior. Maybe they should say "Your-Posterior" for the planet and "Posterior-Fault" to refer to the pavement.

On Tue, Dec 8, 2009 at 5:37 PM, aafradio <mike_25-z@aafradio.org> wrote:
> An age old engineering shorthand...SCHedule of DIAMeters, outlining the
> punch dimensions of all of the holes in the chassis. :-D
>
> Sorry, couldn't resist. =A0I never cease to be amazed at the perceived sa=
vings
> in time by posters through the use of four or five less letters. =A0After
> forty years with the DoD, I thought I was immune to the effects of acronym=
ms,
> but no...it seems to get worse with age.
>
> Scott Robinson wrote:
>>
>> SOrry, but what's a "sch dia"?
>>
>> At 4:47 PM -0600 12/8/09, ka5den wrote:
>>>
>>> I need a sch dia for a Zenith Model H725, Serial G-289984, Chassis 7G01=
Z.
>>> If anyone has one I will be happy to pay.
>
>

--=20

Jim Isbell

"If you are not living on the edge, well then,
you are just taking up too much space."

Message-id: <4B1EEDAD.2050107@ar88.net>
Date: Wed, 09 Dec 2009 00:22:05 +0000
From: Al Klase <al@ar88.net>
MIME-version: 1.0
To: Old Tube Radios <boatanchors@theporch.com>
Cc: Old Tube Radios <boatanchors@theporch.com>

Subject: Re: Zenith
Content-type: text/plain; charset=ISO-8859-1; format=flowed
Content-transfer-encoding: 7bit

It's on Nostalgia Air. (All the Rider's manuals.) Set a book mark!
<http://www.nostalgiaair.org/Resources/>

Al

ka5den wrote:

> I need a sch dia for a Zenith Model H725, Serial G-289984, Chassis 7G01Z.
> If anyone has one I will be happy to pay.
>
> Ka5den at argontech.net
>
> George KA5DEN
> 10X 74681
>

--

Al Klase - N3FRQ
Jersey City, NJ
<http://www.skywaves.ar88.net/>

Message-ID: <84AC8D50B6044296AD01A0F4F158459F@JoePC>
From: "Joe Watson" <wwatson5@sbcglobal.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Looking for National NC-2CS Speaker for NC-2-40C
Date: Tue, 8 Dec 2009 18:37:47 -0600
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="-----=_NextPart_000_000B_01CA7835.89E3FBE0"

This is a multi-part message in MIME format.

-----=_NextPart_000_000B_01CA7835.89E3FBE0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I am looking for a National NC-2CS speaker for an NC-2-40C.

Anyone have one you would part with?

Joe
W5WBR

-----=_NextPart_000_000B_01CA7835.89E3FBE0

Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
* * * * *
*      ---REMAINDER OF MESSAGE TRUNCATED---      *
*      This post contains a forbidden message format      *
*      (such as an attached file, a v-card, HTML formatting) *
*      Mail Lists at theporch.com only accept PLAIN TEXT      *
*      If your postings display this message your mail program *
*      is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *
```

-----=_NextPart_000_000B_01CA7835.89E3FBE0--

Message-ID: <3637CE149F284317AB85BB8310082C18@JoePC>
From: "Joe Watson" <wwatson5@sbcglobal.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Looking for National NC-2CS Speaker for NC-2-40C
Date: Tue, 8 Dec 2009 18:37:59 -0600
MIME-Version: 1.0
Content-Type: multipart/alternative;
boundary="-----=_NextPart_000_0013_01CA7835.91354E30"

This is a multi-part message in MIME format.

-----=_NextPart_000_0013_01CA7835.91354E30
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: quoted-printable

I am looking for a National NC-2CS speaker for an NC-2-40C.

Anyone have one you would part with?

Joe
W5WBR

-----=_NextPart_000_0013_01CA7835.91354E30
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

```
* * * * *
*      ---REMAINDER OF MESSAGE TRUNCATED---      *
*      This post contains a forbidden message format      *
*      (such as an attached file, a v-card, HTML formatting) *
*      Mail Lists at theporch.com only accept PLAIN TEXT      *
*      If your postings display this message your mail program *
*      is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *
```

* * * * *

-----=_NextPart_000_0013_01CA7835.91354E30--

Message-ID: <6673942719164F689DFCEC0B956EEF0C@boudreaux>
From: "David Stinson" <arc5@ix.netcom.com>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Zenith
Date: Tue, 8 Dec 2009 18:45:47 -0600
MIME-Version: 1.0
Content-Type: text/plain;
 format=flowed;
 charset="iso-8859-1";
 reply-type=original
Content-Transfer-Encoding: 7bit

----- Original Message -----
From: "Jim Isbell, W5JAI" <jim.isbell@gmail.com>
Subject: Re: Zenith

I am offended by the NewsSpeak that people now speak. Its "1984"
coming somewhat late.
Even the news reporters on TV,...

The one that really bugs me is when they talk of
a defendant entering a plea, they say he "pleaded."
What happened to "pled??"

Message-ID: <002f01ca786e\$0d692250\$359f480c@KB6NAX>
From: "Arden Allen" <gumbear@pacbell.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Zenith
Date: Tue, 8 Dec 2009 17:22:14 -0800
MIME-Version: 1.0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

> The one that really bugs me is when they talk of
> a defendant entering a plea, they say he "pleaded."
> What happened to "pled??"

My favorite is when the TV news reports the police have have picked up a
crime suspect the clod on the street interview subject refers to the suspect
as a "gentleman."

Arden Allen
KB6NAX

Adopt a shelter dog,
save an innocent life,
and make a friend forever =:-)

End of BOATANCHORS Digest 4301
